



// GAITHERTOOL.COM

HALF THE SIZE TUICE THE POWER

THE NEW BEAD BAZOOKA® BY GAITHER FEATURES SEVEN UPGRADES FROM THE ORIGINAL MODELS

- NEW Three-Way Control Cluster on top of the tank for the intake valve, pressure gauge, and safety pop-off valve
 makes for more comfortable use and provides room for the new 2" RAR Valve. It also reduces the number of holes
 drilled into the tank, providing improved structural integrity for longevity.
- 2. **NEW** 2" RAR Valve (**patented**) is completely redesigned to "float" inside the chamber and it releases twice as quickly as Gaither's previous 1.5" valve.
- **3. NEW** 2" RAR Valve is completely serviceable: it can be removed for cleaning and easily replaced if needed. It also provides a convenient opening for regular tank inspection.
- 4. Patented, recoil-reducing barrel narrows towards the tip, which accelerates the existing air as it moves through the exhaust slot. This increases the bead seating power and reduces recoil.
- 5. The **NEW** barrel never needs to touch the tire or the wheel assembly. Keeping the barrel 1 5" (based on the tire) away from the bead gap increases peak performance by allowing the air to flow more freely.
- 6. Because of the increased operating efficiency, all three models have been reduced in size and weight, making them all easier to hold and use without sacrificing power.
- 7. The Bead Bazooka® GEN2 meets or exceeds the specifications required for ASME, CE, and TUV certification. All three models use narrower tank designs, increasing the construction's strength and integrity, which improves longevity and safety.






GAITHER'S NEXT GENERATION BEAD BAZOOKA® IS HERE

Introducing the Bead Bazooka® GEN2, the most advanced bead seater ever made. It is capable of handling a huge range of tires, while being compact enough for easy storage and operation.

The Bead Bazooka® GEN2 utilizes an upgraded version of the rapid air release (RAR) valve technology found in the original Bead Bazooka®. Allowing all of the new models to be smaller, lighter, and deliver more power with the same ultra-convenient trigger release. The new valve is also easily serviced or replaced so that you can expand its service life and maximize uptime. These compact monsters are set to become the new workhorse in your workshop arsenal!

- Serviceable/Replaceable 2" RAR VALVE upgraded from 1.5"
- Lightweight design saves your back and your time
- Utilizes ultra-compact design: LESS REALLY IS MORE!
- Anti-corrosion interior tank coating extends service life











THENEXT GENERATION OF BEAD BAZOOKAS



GAITHER'S BEAD BAZOOKA® V2

BB3L2

- Volume: 3L and 145 PSI / 10 bar pressure
- Works with ATV, motorcycle, car and light commercial vehicles
- Ultra-compact 3L Tank
- Serviceable/Replaceable 2" RAR Valve
- 3-Way Control Cluster
- Anti-corrosion Interior Tank Coating
- Trigger Release
- Recoil-reducing Barrel
- Net Weight 11lbs / 5kg



14 lbs. 23" x 6" x 12"

 ϵ

GAITHER'S BEAD BAZOOKA® V2

BB6L2

- Volume: 6L and 145 PSI / 10 bar pressure
- For motorcycle, car, light truck and heavy commercial vehicles
- Ultra-compact 6L Tank
- Serviceable/Replaceable 2" RAR Valve
- 3-Way Control Cluster
- Anti-corrosion Interior Tank Coating
- Trigger Release
- Recoil-reducing Barrel
- Net Weight 16lbs / 7,2kg





18 lbs. 23" x 7" x 12"

GAITHER'S BEAD BAZOOKA® V2

BB10L2

- Volume: 10L and 145 PSI / 10 bar pressure
- For car, light truck, heavy commercial and light agricultural vehicles
- Ultra-compact 10L Tank
- Serviceable/Replaceable 2" RAR Valve
- 3-Way Control Cluster
- Anti-corrosion Interior Tank Coating
- Trigger Release
- Recoil-reducing Barrel
- Net Weight 18lbs / 8,2kg

(€



20 lbs. 30" x 7" x 12"



CLASSIC LOOK - ALL NEW ATTITUDE

GAITHER

GB-5MA

The Bead Booster GB-5MA is one of the latest bead seaters from Gaither. It comes equipped with our patented 2" RAR Valve.



SPECIFICATIONS

- For commercial light vehicles, truck (wide base) and a variety of AG tires
- The tank is CE/ASME certified
- 2" RAR Valve
- Internal proprietary coating protects tank against rust

GAITHER'S BEAD BOOSTER® GB-38L

- For truck and agricultural tires
- CE certified tank
- Internal proprietary coating protects tank against rust
- 2"Jet Assited Barrel
- Alloy tank
- Volume 38l and 10 bar pressure
- Weight: 8,5kg



TIPS &









GAITHER

12941R & 12942R

- The Gaither RAR Valves are the most powerful inflation valves available same as used on the popular Bead Bazookas®.
- 1.5" and 2" available to upgrade your current bead seater.
- Completely serviceable!! This means that if something should become defective down the road, the seal, valve or spring can all be replaced!
- Push-button release trigger allows the technician to keep both hands on the tank for optimum control during use.
- Reversible handle allows for both right-hand and left-hand users based on preference.
- Each valve includes a barrel for immediate use after installation.




The Bead Bazooka® Valve Repair Kit, or BBVRK, is a new tool that lets the user repair/replace the piston/valve of the Bead Bazooka®. The BBVRK is intended to extend the lifespan of the Bead Bazooka® by making the Bead Bazooka® fully serviceable. This kit saves the user precious time because the repairs can be done quickly and effectively in house.

The BBVRK comes with following items:

F. 12958 2" Piston w / O-Ring

G. 12959 Gaither Wrench

H. 12950 W 1.5 O-Ring



ABOUT US

Gaither Tool Co. founded in 1988, is an international organization committed to serving the tire and trucking industry. It invents and manufactures convenient tools and systems needed to service and maintain tires and wheel assemblies.

Gaither Tool Co. continually invests in research and development to bring to its customers the most effective tools in the business. It strives to improve efficiency and reduce costs for customers all over the world working in truck maintenance shops as well as on-the-road tire service providers. Bandag, Euromaster/Michelin, Bridgestone's First Stop, The United States Armed Forces... just to name a few.

Gaither supplies products to customers in over 100 countries, selling through exclusive and nonexclusive distributors. Gaither Tool Co. is headquartered in Jacksonville, Illinois, U.S.A. In 1997 it opened a branch office located in Roosendaal, Holland to better serve the European market. In 1999 that office was incorporated in Holland and Gaither Europe BV was started. Gaither's manufacturing plant and warehousing for International distribution is located in Taichung, Taiwan.

With a strategically placed location in both The United States and The Netherlands, we are able to serve the global industry





CONTACT US GAITHERTOOL.COM

GAITHER TOOL CO.

2255 West Morton Ave. Jacksonville, Illinois 62650 USA

- 217.245.0545 800.452.5010
- **f** 217.245.0940
- e sales@gaithertool.com

GAITHER EUROPE BV THE NETHERI ANDS

Rechtzaad 6 4703 RC Roosendaal Holland

- t +31 (0) 165 554475
- f +31 (0) 165 391819
- e evd@gaithereurope.com

Covered by one or more U.S. patents, including: U.S. Patent 10,800,216. U.S. Patent 10,800,215. U.S. Patent 10,266,019. U.S. Patent 9,822,893. U.S. Patent 9,649,897. U.S. Patent 9,033,306. U.S. Patent 8,752,604 and other U.S. and foreign issued patents and pending patent applications listed at gaithertool.com

